









Base Scanners


Model	Description	Master	W x H x D (in)	SLP
 BC340CRS	Clock / Scanner with Weather, 100 channels in 10 banks, full frequency LCD display, clock/alarm, lockout, priority channel, service search, volume and squelch control. AM/FM radio and TV channels 2-13 with 30 presets. Coverage: 25-54, 108-174, 406-512 MHz	6 unit size: TBD display box: 8-21/32 x 8-3/4 x 3-11/32 master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 65046 2		
 BC370CRS	All-Hazards Scanner with Atomic Clock, 300 channels in 10 banks, full frequency LCD display with separate clock display, atomic clock autosects time from NIST signal, lockout, priority channel, service search, volume and squelch control. Alerts to EAS or NOAA SAME alerts on AM, FM and NOAA channels. AM/FM radio and TV Channels 2-13 with 30 presets, Coverage: 25-54, 108-174, 225-380, 406-512, 806-956 MHz (excluding cellular)	6 unit size: TBD display box: 8-21/32 x 8-3/4 x 3-11/32 master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 65047 9		
 BC898T	Fully programmable 500 channels/17 bands/10 banks with Trunk Tracker [®] III technology, 10 priority channels, auto store, VFO knob, one-touch weather, TURBOSCAN [™] , aux tape output, weather alert, illuminated LCD display, reception counter and step select. Includes aircraft and 800 MHz. Coverage: 25-54, 108-174, 216-512, 806-956 MHz (excluding cellular)	4 unit size: 10-1/2 x 7-1/2 x 3-3/8 display box: 14-3/8 x 10-3/8 x 4-5/16 master carton: 15-13/16 x 11-5/16 x 18-11/16 weight inner/mc: 6 lbs 6 oz 26 lbs 8 oz UPC Code: 0 50633 65037 0		

Mobile/Base Scanners

Model	Description	Master	W x H x D (in)	SLP
 BC350C	800 MHz scanner with 50 user-programmable channels and 6 preprogrammed service banks, 13 preset search bands, turbo search, illuminated LCD display, channel lockout, AC adapter, DC power cable, and automotive power outlet plug. Coverage: 25-54, 108-174, 406-512, 806-956 (excluding cellular)	4 unit size: 6-7/8 x 5-3/16 x 1-1/2 clamshell: 4 x 10 x 12 master carton: 13 x 18-1/2 x 11 weight inner/mc: 2 lbs 12.8 oz 15 lbs UPC Code: 0 50633 65033 2		
 BCT-8 BEARTRACKER	800 MHz scanner with BearTracker[™] Warning System with Trunk Tracker [®] III for Motorola [®] , EDACS [®] , and Johnson [®] . Features include: 250 channels, 5 banks, 5 priority channels, preprogrammed service searches, preprogrammed highway patrol frequencies by state, PC Programmable, illuminated LCD display, AC adapter, DC power cable, and automotive power outlet plug. Coverage: 25-54, 108-174, 406-512, 806-956 (excluding cellular)	10 unit size: 2-1/4 x 6-7/8 x 6-1/2 display box: 8-1/2 x 13 x 3-3/4 master carton: 13-1/4 x 17-3/4 x 17-3/8 weight inner/mc: 2 lbs 14oz 29lbs UPC Code: 0 50633 65034 9		
 BCT15	2500 Channel Base/Mobile Scanner with BearTracker Warning System, Trunk Tracker [®] III (Motorola [®] , EDACS [®] , LTR analog) location-based scanning (GPS not included), 100 quick keys, 10 startup configurations, Multi-Site Trucking, Close Call [™] RF Capture technology, Alert+, Temporary Lockout, Fire Tone-Out, Dangerous Crossing, Dangerous Road and POI alerts, DIN-E mounting (mounting sleeve not included). Coverage: 25-512, 806-956, 1240-1300 MHz (excluding cellular)	4 unit size: TBD display box: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 65049 3		





Mobile/Base Scanners

Model	Description	Master	W x H x D (in)	SLP
 BCD996T	6000 Channel Base/Mobile APCO25 Scanner Trunk Tracker [®] III (Motorola [®] analog & digital, EDACS [®] , LTR) location-based scanning (GPS not included), 100 quick keys, 10 startup configurations, Multi-Site Trucking, Close Call [™] RF Capture technology, Temporary Lockout, Fire Tone-Out, Dangerous Crossing, Dangerous Road and POI alerts, DIN-E mounting (mounting sleeve included). Coverage: 25-512, 806-956, 1240-1300 MHz (excluding cellular)	4 unit size: TBD display box: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 65048 6		




Handheld Scanners

Model	Description	Master	W x H x D (in)	SLP
 BC72XLT	NASCAR 100-Channel Compact Scanner Fully programmable handheld with 100 channels and 12 bands. Introduces Close Call [™] RF Capture Technology in a budget scanner. Features include full frequency LCD, Close Call Technology, Pager Screen, Chain Search, Scan Delay, Service Search, and Backlit Display. Includes belt clip and AC Adapter/Charger. Alkaline or Rechargeable AA compatible, 3.5mm Headphone Jack. Coverage: 25-54, 108-174, 406-512 MHz.	6 unit size: 2-3/4 x 4-1/2 x 1-1/2 display box: 6 x 9-7/16 x 2-7/16 master carton: 8 x 9-25/32 x 12-1/2 weight inner/mc: 1 lb 4 oz 11 lbs 12 oz UPC Code: 0 50633 65039 4		
 BC92XLT	NASCAR 200-Channel Compact Scanner with 800 MHz Fully programmable handheld with 200 channels and 13 bands. Includes Close Call [™] RF Capture Technology. Features include full frequency LCD, Close Call Technology, Pager Screen, Chain Search, Scan Delay, Service Search, and Backlit Display. Includes belt clip and AC Adapter/Charger. Alkaline or Rechargeable AA compatible, 3.5mm Headphone Jack. Coverage: 25-54, 108-174, 406-512, and 806-956 MHz (excluding cellular).	6 unit size: 2-3/4 x 4-1/2 x 1-1/2 display box: 6 x 9-7/16 x 2-7/16 master carton: 8 x 9-25/32 x 12-1/2 weight inner/mc: 1 lb 4 oz 11 lbs 12 oz UPC Code: 0 50633 65038 7		
 SC230	NASCAR Scancat 2500-Channel Compact Scanner with Race Track Operation Optimized for ease of programming and use at the track. Includes 2500 Dynamically Allocated channels (1600 Typical), Alpha Tagging, organization of channels by Driver, Close Call [™] RF Capture Technology, Pager Screen, CTCSS/DCS, Chain Search, Service Search, Dynamic Memory, Repeater Reverse, Data Skip, Weather reception and SAME Wx Alert, Auto Store, Priority Scanning, PC Control, Cloning, and On-Air Cloning (software not included). Includes belt clip, AC Adapter/Charger, PC Data Cable, and 2xAA NiMH batteries. Also compatible with Alkalines. 3.5mm Headphone Jack. Coverage: 25-54, 108-174, 216-225, 400-512, 800-956, and 1240-1300 MHz (excluding cellular).	6 unit size: 2-3/4 x 4-1/2 x 1-1/2 display box: 6 x 9-7/16 x 2-7/16 master carton: 8 x 9-25/32 x 12-1/2 weight inner/mc: 1 lbs 15.8 oz 12 lbs 7.6 oz UPC Code: 0 50633 65041 7		
 BC246T	Trunk Tracker[®] III 2500-Channel Compact Scanner Includes 2500 Dynamically Allocated channels (1600 Typical) for no wasted memory. Preloaded with the top 25 counties in the US by population. Also has Motorola [®] , EDACS [®] , and LTR analog trunking, Close Call [™] RF Capture Technology, Pager Screen, 10 Service Search, CTCSS/DCS, Repeater Reverse, Alpha Tagging, Data Skip, Weather Search, SAME Wx Alert, CTCSS/DCS Search, Search Auto Store, Close Call Auto Store, Priority Scanning, Backlit Display, PC Programming and Control (software not included). Includes belt clip, AC Adapter/Charger, PC Data Cable, and 2xAA NiMH batteries. Also compatible with Alkalines. 3.5mm Headphone Jack. Coverage: 25-54, 108-174, 216-225, 400-512, 800-956, and 1240-1300 MHz (excluding cellular).	6 unit size: 2-3/4 x 4-1/2 x 1-1/2 display box: 9-7/16 x 6 x 2-7/16 master carton: 8 x 9-7/8 x 12-1/2 weight inner/mc: 1 lbs 15.8 oz 12 lbs 7.6 oz UPC Code: 0 50633 65040 0		





Handheld Scanners

Model	Description	Master	W x H x D (in)	SLP
 BR330T	2500 Channel Truck Tracker® III with extended coverage, race track operation, Close Call™ RF Capture Technology, Fire Tone-Out, 100 Quick keys, Motorola®, APCO25®, EDACS®, and LTR analog trunking, Coverage: 25 MHz – 1.3 GHz (excluding cellular)	6 unit size: 2-3/8 x 5 x 1-1/4 display box: 6 x 9-1/2 x 2-3/4 master carton: 8-21/32 x 9-27/32 x 12-19/32 weight inner/mc: 2 lbs 3.7 oz 13 lbs 15.4 oz UPC Code: 0 50633 65045 5		
 BCD396T	TrunkTracker® IV APCO 25 Digital Handheld Scanner with 5500 Dynamic Channels Includes 5500 Dynamically Allocated channels (3500 Typical) for plenty of system storage. Preloaded for most major digital and many analog areas. Also has Motorola® analog and APCO25®, EDACS® analog, and LTR analog trunking, Close Call™ RF Capture Technology, Pager Screen, Fire Station Tone-out, Extended Quick Keys, Service Search, CTCSS/DCS, Repeater Reverse, Alpha Tagging, Data Skip, Weather Search, SAME Wx Alert, CTCSS/DCS Search, Search Auto Store, Close Call Auto Store, Priority Scanning, Backlit Display, PC Programming and Control, plus On-Air Cloning (software included by download). Includes belt clip, AC Adapter/Charger, PC Data Cable, and 2xAA NiMH batteries. Also compatible with Alkalines. 3.5mm Headphone Jack. (Note that some specifications on this model are preliminary. Available Summer 2005.) Coverage: 25-512, 764-776, 794-956, 1240-1300 GHz (excluding cellular)	6 unit size: 2-3/8 x 5 x 1-1/4 display box: 6 x 9-1/2 x 2-3/4 master carton: 8-21/32 x 9-27/32 x 12-19/32 weight inner/mc: 2 lbs 6.5 oz 15 lbs 2.8 oz UPC Code: 0 50633 65042 4		



General Mobile Radio Service

Model	Description	Master	W x H x D (in)	SLP
 GMR535-2	2 Pack of General Mobile Radio Service 2-way radios with 22 Channels (15 GMRS / 7 FRS) Up to 5-mile range, 1 call tone, channel scan, channel monitor, roger beep, key tone on/off, key lock, battery strength meter, low battery alert, and removable belt clips. Operates on 3 AAA Alkaline batteries per radio (not included).	6 unit size: TBD clamshell: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 10118 6		
 GMR1038-2	2 Pack of General Mobile Radio Service 2-way radios with 22 channels (15 GMRS / 7 FRS) Up to 10-mile range, backlit LCD display, 99 Privacy codes, 5 call tones, channel scan, channel monitor, roger beep, key tone on/off, key lock, battery strength meter, rubber antenna, removable belt clips, NiMH rechargeable batteries, and AC adapter not included. Will also operate on 4 AAA Alkaline batteries per radio (not included)	6 unit size: TBD clamshell: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 10121 6		
 GMR1038-2CK	2 Pack of General Mobile Radio Service 2-way radios with 22 channels (15 GMRS / 7 FRS) Up to 10-mile range, backlit LCD display, 99 Privacy codes, 5 call tones, channel scan, channel monitor, roger beep, key tone on/off, key lock, battery strength meter, rubber antenna, removable belt clips, NiMH rechargeable batteries, dual charging cradle, and AC adapter included. Will also operate on 4 AAA Alkaline batteries per radio (not included)	6 unit size: TBD clamshell: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 10122 3		








General Mobile Radio Service

Model	Description	Master	W x H x D (in)	SLP
GMR1048-2CK 	2 Pack of General Mobile Radio Service 2-way radio with 22 channels (15 GMRS / 7 FRS) Up to 10-mile range , voice scramble, backlit LCD display, 99 CTCSS privacy codes, 5 call tones, channel scan, channel monitor, VOX (Voice Operated Transmit), Headset jack, 7 Emergency / Weather channels, Emergency / Weather alert, roger beep, key tone on/off, key lock, battery strength meter, rubber antenna, DC jack, removable belt clips, NiMH rechargeable batteries, separate charging cradles, and AC adapter included. Will also operate on 4 AAA Alkaline batteries per radio (not included)	6 unit size: 2-1/8 x 6-1/2 x 1-1/4 clamshell: 9-7/16 x 13-3/8 x 4-11/32 master carton: 10-1/4 x 14-3/4 x 26-3/8 weight inner/mc: 1 lb 15.5 oz 15 lbs 13.8 oz UPC Code: 0 50633 10119 3		
GMR1558-2CK 	2 Pack of General Mobile Radio Service 2-way radio with 22 channels (15 GMRS / 7 FRS) Up to 15-mile range , 142 privacy codes, scramble, power boost key, backlit LCD display, 5 call tones, channel scan, channel monitor, roger beep, key tone on/off, key lock, battery strength meter, rubber antenna, DC jack, removable belt clips, NiMH rechargeable batteries, separate charging cradles, and AC adapters included. <i>Will also operate on 4 AAA Alkaline batteries per radio (not included)</i>	6 unit size: TBD clamshell: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 10120 9		
GMR1588-2CK 	2 Pack of General Mobile Radio Service 2-way radio with 22 channels (15 GMRS / 7 FRS) Up to 15-mile range , scramble, Direct Call, auto channel change, power boost key, backlit LCD display, 142 privacy codes, rubber grip case, 5 call tones, channel scan, channel monitor, VOX (Voice Operated Transmit), Headset jack, 7 Emergency / Weather channels, Emergency / Weather alert, roger beep, key tone on/off, key lock, battery strength meter, rubber antenna, DC jack, removable belt clips, NiMH rechargeable batteries, separate charging cradles, and AC adapters included. <i>Will also operate on 4 AAA Alkaline batteries per radio (not included)</i>	6 unit size: TBD clamshell: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 10123 0		
GMR1595-2CK 	2 Pack of General Mobile Radio Service 2-way radio with 22 channels (15 GMRS / 7 FRS) Up to 15-mile range , scramble, Direct Call, auto channel change, power boost key, backlit LCD display, 142 privacy codes, rubber grip case, silent alert (visual & vibrate) 5 call tones, channel scan, channel monitor, VOX (Voice Operated Transmit), Headset jack, 7 Emergency / Weather channels, Emergency / Weather alert, roger beep, key tone on/off, key lock, battery strength meter, rubber antenna, DC jack, removable belt clips, Mossy Oak™ new breakup camouflage pattern, NiMH rechargeable batteries, dual charging cradle, 2 headsets, and AC adapter included. <i>Will also operate on 4 AAA Alkaline batteries per radio (not included)</i>	6 unit size: TBD clamshell: TBD master carton: TBD weight inner/mc: TBD UPC Code: 0 50633 10124 7		




CB Radios

Model	Description	Master	W x H x D (in)	SLP
PRO 510XL 	Compact 40-channel CB 7-watt audio output, LED display, auto noise limiter switch, phase locked loop circuitry, volume and squelch control, LED signal strength meter, TX LED, heavy duty mic, rotary channel selector and mounting hardware.	12 unit size: 6-3/4 x 4-1/2 x 1-3/8 display box: 11-11/16 x 5-11/16 x 3-3/16 master carton: 12-1/2 x 12-1/2 x 18-1/2 weight inner/mc: 2 lbs 10 oz 35 lbs UPC Code: 0 50633 03113 1		
PRO 520XL 	Compact 40-channel CB, 7-watt audio output, LED display , auto noise limiter, phase locked loop circuitry, volume and squelch control, LED signal strength meter, instant channel 9, RF gain, PA, TX LED, heavy duty mic and mounting hardware.	12 unit size: 6-3/4 x 4-1/2 x 1-3/8 display box: 11-11/16 x 5-11/16 x 3-3/16 master carton: 12-1/2 x 12-1/2 x 19 weight inner/mc: 2 lbs 10 oz 33 lbs UPC Code: 0 50633 03214 5		

CB Radios

Model	Description	Master	W x H x D (in)	SLP
 <p>PRO 538W</p>	<p>40-channel CB with front firing speaker, instant weather channels, instant channel 9 button, PA, RF gain, squelch, LED signal strength meter, TX LED, heavy duty mic and mounting hardware.</p>	<p>6</p>	<p>unit size: 6-3/4 x 8-1/4 x 2 display box: 14 x 9-1/4 x 4-1/2 master carton: 19 x 14-1/4 x 13-3/4 weight inner/mc: 4 lbs 10 oz 29 lbs</p>	<p>UPC Code: 0 50633 05105 4</p>
 <p>PC 68XL</p>	<p>Front mic, Dynamic Squelch Control (DSC), new rugged mic 40-channels, S/RF meter, channel indicator, squelch control, channel selector, TX/RX indicator, instant channel 9, RF gain control, PA mode and mic gain control.</p>	<p>10</p>	<p>unit size: 6-1/4 x 8-5/8 x 2-1/8 display box: 12 x 12-1/2 x 3-3/8 master carton: 16 x 15 x 18-1/2 weight inner/mc: 4 lbs 4 oz 45 lbs</p>	<p>UPC Code: 0 50633 55004 5</p>
 <p>PC 68LTW</p>	<p>Front mic, Dynamic Squelch Control (DSC), new rugged mic Backlit control knobs, 7 weather channels, 40-channels, S/RF meter, channel indicator, squelch control, channel selector, TX/RX indicator, instant channel 9, RF gain control, PA mode and mic gain control.</p>	<p>10</p>	<p>unit size: 6-1/4x8-5/8x2-1/8 display box: 12 x 12-1/2 x 3-3/8 master carton: 16 x 15 x 18-1/2 weight inner/mc: 4lbs 4oz 45lbs</p>	<p>UPC Code: 0 50633 55005 2</p>
 <p>PC 78XL</p>	<p>Front mic, Dynamic Squelch Control (DSC), new rugged mic 40-channel auto noise/noise blanker switch, instant channel 9, squelch control, RF gain, mic gain, channel selector, TX/RX indicator, SWR calibration, S/RF/SWR/Mod. Meter and antenna warning.</p>	<p>10</p>	<p>unit size: 8-7/8 X 7-3/8 X 2-1/4 display box: 12-1/8 X 12-13/16 X 3-1/2 master carton: 12-1/8 X 12-13/16 X 35 weight inner/mc: 5 lbs 51 lbs 5oz</p>	<p>UPC Code: 0 50633 55006 9</p>
 <p>PC 78LTW</p>	<p>Front mic, Dynamic Squelch Control (DSC), Backlit control knobs, 7 weather channels, 40-channels auto noise/noise blanker switch, instant channel 9, squelch control, RF gain, mic gain, channel selector, TX/RX indicator, SWR calibration, S/RF/SWR/Mod. Meter and antenna warning.</p>	<p>10</p>	<p>unit size: 8-7/8 X 7-3/8 X 2-1/4 display box: 12-1/8 X 12-13/16 X 3-1/2 master carton: 12-1/8 X 12-13/16 X 35 weight inner/mc: 5 lbs 51 lbs 5oz</p>	<p>UPC Code: 0 50633 55007 6</p>
 <p>PC 68 Elite</p>	<p>Professional 40-channel CB with ergonomic pistol grip mic dynamic squelch control, enhanced night vision display, display dimmer control, instant channel 9, RF gain control, mic gain control, channel indicator, 7 weather channels, Delta Tune, PA/CB Switch, Analog S/RF Meter, and backlit control knobs.</p>	<p>10</p>	<p>unit size: 6-5/16 x 8-1/2 x 2-1/8 display box: 12-3/4 x 11-3/8 x 3-1/4 master carton: 13-1/2 x 15-3/4 x 23-1/2 weight inner/mc: 5 lbs 51 lbs</p>	<p>UPC Code: 0 50633 55043 4</p>
 <p>PC 78 Elite</p>	<p>Professional 40-0channel CB with ergonomic pistol grip mic dynamic squelch control, enhanced night vision display, display dimmer control Backlit control knobs, 7 weather channels, 40-channel auto noise/noise blanker switch, instant channel 9, squelch control, RF gain control, mic gain control, channel selector, TX/RX indicator, SWR calibration, S/RF/SWR/Mod. Meter and antenna warning.</p>	<p>10</p>	<p>unit size: 7-5/16 X 8-11/16 X 2-3/16 display box: 12-5/8 X 12 X 3-1/2 master carton: 13-1/4 X 18 X 24-1/2 weight inner/mc: 5 lbs 8 oz 57 lbs</p>	<p>UPC Code: 0 50633 55044 1</p>

CB Radios

Model	Description	Master	W x H x D (in)	SLP
ESP5 	External CB Speaker 5 watts, 6-foot cord, heavy duty 22 gauge wire, 8 OHMS Impedance, 3.5 mm plug. Compatible with all Uniden CB Radios. Frequency Response: 500 Hz - 5 KHz	48 unit size: display box: master carton: weight inner/mc: 24 lbs 5oz UPC Code:	3-3/4 x 2-5/8 x 3-3/4 4 x 2-1/2 x 3-1/2 16 x 16 x 12 8 oz	0 50633 55022 9
ESP12 	External CB Speaker 12 watts, 10-foot cord, heavy duty 18 gauge wire, 8 OHMS Impedance, 3.5 mm plug. Compatible with all Uniden CB Radios. Frequency Response: 500 Hz - 5 KHz	24 unit size: display box: master carton: weight inner/mc: 36 lbs UPC Code:	4 x 3-7/8 x 2 1/2 5-1/2 x 5 x 3 16 x 16 x 12 1 lb 8 oz	0 50633 55023 6
ESP20 	External CB Speaker 20 watts, 10-foot cord, heavy duty 18 gauge wire, 4 OHMS Impedance, 3.5 mm plug. Compatible with all Uniden CB Radios. Frequency Response: 300 Hz - 5 KHz	24 unit size: display box: master carton: weight inner/mc: 36 lbs UPC Code:	4-3/4 x 4-3/4 x 2-1/2 5-1/2 x 5 x 3 16 x 16 x 12 1 lb 8 oz	0 50633 55024 3

Accessories

Available at Uniden Parts and Service

Bearcat Scanners

Part Number	Part Description	Function/Symbol	SLP
BADY0050001	AC Adapter	BC 144XL, BC 147XLT	
AD0008	AC Adapter	BC 72XLT, BC92XLT, SC230, BC246T	
AD70U	AC Adapter	BC 80XLT, BC 120XLT, BC 220XLT, SC1 50B/Y, BC 245XLT	
AD100U	AC Adapter	BC 60XLT	
AD140U	AC Adapter	BC 860XLT, BC350A, BC700A	
AD580U	AC Adapter	BC 780XLT, BC 590XLT, BC 890XLT, BC 9000XLT, BC 560XLA, BC 560X, BC 760XLT, BCT 2	
AT001	MLTR type window antenna	All Mobile (MLTR ANT) Scanner	
AT002	BNC type window antenna	All Mobile (BNC ANT) Scanner	
BATY0419001	Telescopic antenna	BC 560XLA, BC 560X, BC 144XL, BC 147XLT	
BATY0124001	Telescopic antenna	BC 860XLT, BC 890XLT, BC 350A, BC 700A	
BATY0395001	Rubber antenna	BC 60XLT, BC 80XLT, BC 120XLT, BC 220XLT, BC 230XLT, BC 3000XLT, SC 150B/Y, BC 235XLT, BC 245XLT	
BATY0248001	Telescopic antenna	BC 780XLT, BC 860XLT	
BC002	CTCSS Tone board	BC 890XLT, BC 760XLT	
BC005	CTCSS Tone board	BC 9000XLT	
BP120	Battery pack	BC 120XLT, BC 220XLT, SC 150B/Y, BC230XLT, BC235XLT	
BP2500	Battery pack	BC 3000XLT	
ESP5 ESP12 ESP20	External speaker	BC 144XL, BC 147XLT, BC 860XLT, BC 890XLT, BC 9000XLT, BC 560XLA, BC 560X, BC 350A, BC 700A, BC 760XLT, BCT 2, BCT 7, PRO 501XL, PRO 501AXL, PRO 510XL, PRO 520XL, PRO 538W, PC 66XL, PC 76XL, PC 122XL, GRANT XL, WASHINGTON	
LC120	Carrying case	BC 120XLT, BC 220XLT, BC 230XLT, BC 235XLT	
LC150B	Carrying case (black)	SC 150B	
PS001	Cigarette lighter DC Cord	BC 780XLT, BC 890XLT, BC 9000XLT, BC 560XLA, BC 560X, BC 350A, BC 700A, BC 60XLT	
PS002	DC Power Cord	(hardwire) BC 780XLT, BC 890XLT, BC 9000XLT, BC 560XLA, BC 560X, BC 350A, BC 700A, BC 60XLT	
UA502	Cigarette lighter DC Cord	BC 80XLT, BC 120XLT, BC 220XLT, BC 230XLT, BC 235XLT, BC 3000XLT, BC 80XLT, SC 150B/Y	
USB-1	USB Cable		
DIN-1001	DIN-E Sleeve	BC 246T, BCD 396T, SC 230, BR 330T, BCT 15, BCD996T	
AD-687	DC Adapter	BCT 15, BCD 996T	
		BC 246, BCD 396T, BR 330T, SC 230, BC72XLT, BC 92XLT	

Two-Way Radios

Part Number	Part Description	Function/Symbol	SLP
HS2467	Headset	GMRS 540, GMRS 380, GMRS 680, TR 640, GMR645, GMR885, GMR895	
BP38	Rechargeable Battery	GMRS 680, GMRS 380, TR 622, TR 640, GMR635, GMR645, GMR855, GMR885, GMR895	
RC5248/RC6248	Drop in charger	GMRS 522, GMRS 540, GMRS 380, TR 622, TR 640, GMRS 680	
RC6348	Drop in charger	GMR 635, GMR 645	
RC8348	Drop in charger	GMR 855, GMR 885, GMR895	

CB Radios

Part Number	Part Description	Function/Symbol	SLP
BWZY1105001	DC Cord	PRO 501XL, PRO 501AXL	
BWZY1105001	DC Cord	PRO 510XL, PRO 520XL, PRO 538W	
BWZY0866001	DC Cord	PC 66XL, PC 76XL, PC 76XLW	
BMKY0282001	Microphone	PC 66XL, PC 122XL	
BMKY0353001	Microphone	PC 76XL, PC 76XLW	
BMKY0393001	Microphone	PRO 510XL	

CB Radios

Part Number	Part Description	Function/Symbol	SLP
BMKY0466001	Microphone	PRO 520XL	
BMKY0353001	Microphone	PRO 501XL, PRO 501AXL	